	Page 1 of 2	Revision No.: 01 (03/2020)
	Production Procedures Safety	Effective Date: March 26, 2020
	VI - 455	Reviewed by: Dave Whitcomb
	Title: Temperature Screening Process	Approved by: Gina Facca

Attachment 1

Notification of Temperature Screening Scans > 100.0 Fahrenheit

NOTICE:

Date: _____

Time: _____

Name: _____

Company: _____

Supervisor / Manager: _____

Badge #: _____

The above individual was refused access to a Vigor facility/project due to the proactive measures implemented by Vigor to help prevent the spread of COVID-19. His / Her badge has been de-activated by Vigor Security.

Please document on a separate page the name and badge number of all persons refused access. This list will be given to the Safety Dept. daily for distribution to HR and Security.

Access denied due to the following reasons:

- Did not answer "YES" that a self-assessment had been completed on the day in question.
- Has these symptoms: cough/congestion/sneezing/fever/aches, etc.
- Temperature reading >100 degree Fahrenheit: **Scan reading:** _____


Call Safety on Channel #1 on the Radio for assistance with an escort out of the area and the yard.

Due to your elevated temperature, you cannot re-enter a Vigor facility until you have consulted with a Primary Care Provider and confirmed whether or not they recommend for you to remain at home.

To regain badge access to the facility contact the following:

- If you are a Vigor Employee, contact the Vigor Employee call in line (844-660-0089)
- If you are a non-Vigor employee, contact your employer for further direction

The Safety team at this location will provide assistance with escort out of the area and out of the facility. Call Safety on Radio Channel #1 for assistance.

	Page 2 of 2	Revision No.: 01 (03/2020)
	Production Procedures Safety	Effective Date: March 26, 2020
	VI - 455	Reviewed by: Dave Whitcomb
	Title: Temperature Screening Process	Approved by: Gina Facca

Temperature Screening Entrance Refusal List > 100.0 Fahrenheit

DATE: _____

These people were refused access to a Vigor facility/project. Give this to Safety at the end of the shift.

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____

Badge #: _____ NAME: _____ Vigor Other Company: _____